

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
R 50425773

Blatt Sheet
0001

Ihr Zeichen Client Reference	Unser Zeichen Our Reference	Ausstellungsdatum Date of Issue
T.L.	01-QJL-50210654 001	14.01.2019 (day/mo/yr)

Genehmigungsinhaber License Holder

Suntree Electric Group Co., Ltd.
Xinguang Industrial Zone, Liushi Town
Zhejiang Province 325604
P. R. China

Fertigungsstätte Manufacturing Plant

Suntree Electric Group Co., Ltd.
Xinguang Industrial Zone, Liushi Town,
Zhejiang Province 325604
P. R. China

Prüfzeichen Test Mark



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419064857

Geprüft nach Tested acc. to

IEC 62109-1:2010
IEC 61439-1:2011
IEC 61439-2:2011
EN 62109-1:2010
EN 61439-1:2011
EN 61439-2:2011

Zertifiziertes Produkt (Geräteidentifikation) Certified Product (Product Identification)

Lizenzentgelte - Einheit License Fee - Unit

Anschluss-Verteiler-Gehäuse (PV String Combiner Box)

Type Designation	: SHLX-PV4/P	SHLX-PV2/P	9
Vmax PV[Vd.c.]	: 1000		
Input Voltage range [Vd.c.]	: 200~1000		
No. of Input strings	: 4	2	
Input I _{max} per string[Ad.c.]	: 10		
Output voltage range[Vd.c.]	: 200~1000		
I _{max} of each fuse[Ad.c.]	: 15		
Protective Class	: Class II		
Pollution degree (PD)	: PD 2(inside) PD 3(outside)		
Altitude [m]	: 4000		
Operating Temperature[°C]	: -30 to 60		

Remark:

The installation has to be carried out according to the attached installation instruction.
Any additional requirements in countries where the product is going to be marketed have to be considered additionally.

9

ANLAGE (Appendix): 1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety



C. Li
Weichun Li

C E R T I F I C A T E



of Conformity
Low Voltage Directive 2014/35/EU

Registration No.: AN 50425844 0001

Report No.: 50210654 001

Holder: **Suntree Electric Group Co., Ltd.**
Xinguang Industrial Zone, Liushi Town, Yueqing City,
Zhejiang Province 325604
P. R. China

Product: Combiner Box
(PV String Combiner Box)

Identification: Type Designation: SHLX-PV2/P SHLX-PV4/P
Serial No. : Engineering samples
Remark : Issued in conjunction with TÜV Rheinland
license R 50425773 0001.

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the Licence Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive 2014/35/EU, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.



A handwritten signature in blue ink.
Weichun Li

Date 14.01.2019

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CE The CE marking may be used if all relevant and effective EC Directives are complied with. CE

Suntree Electric Group Co., Ltd.
Tony Liu
-
Xinguang Industrial Zone, Liushi
Town, Yueqing City,
Zhejiang Province 325604
P. R. China

Date : 14.01.2019
Our ref. : QJL 01
Your ref.: T.L.

Ref : AN Certificate of Conf. Low Voltage D.

Type of Equipment : PV String Combiner Box
Model Designation : See Certificate
Certificate No. : AN 50425844 0001
Report No. : 50210654 001

Dear Tony Liu,

We herewith confirm that a sample of the above mentioned technical equipment has been tested and was found to be in accordance with the relevant requirements.

Enclosed please find your Certificate of Conformity.

We appreciate your kind support and would like to offer our assistance and continuous services in the future.

With kind regards,

Certification Body


Weichun Li

CC: Suntree Electric Group Co., Ltd.

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E第1页 共108页
Page 1 of 108

CENTRE TESTING INTERNATIONAL



报告抬头公司名称 新驰电气集团有限公司
Company Name SUNTREE ELECTRIC CO., LTD.
shown on Report
地 址 浙江省乐清市柳市镇新光工业区寺前路 3 号
Address 3 SIQIAN ROAD, XINGUANG INDUSTRIAL ZONE, LIUSHI TOWN, YUEQING CITY, ZHEJIANG PROVINCE, CHINA

结论 Conclusion

测试样品 Tested Sample	依据标准/指令 According to standard/directive	结果 Result
提交样品 Submitted Sample	欧盟 RoHS 指令 2011/65/EU 及其 修订指令(EU) 2015/863 RoHS Directive 2011/65/EU with amendment (EU) 2015/863	符合 PASS

符合表示检测结果满足欧盟 RoHS 指令 2011/65/EU 及其修订指令(EU) 2015/863 要求的限值。
PASS means that the results shown on the report comply with the limits set by RoHS Directive 2011/65/EU with amendment(EU) 2015/863.

主 检
Tested by

钱佳丽

审 核
Reviewed by

郭世荣

批 准
Approved by

陈沙

日 期
Date

2022.09.19

陈沙

技术经理 Technical Manager

No. R465027788

宁波市华测检测技术有限公司

Centre Testing International (Ningbo) Co., Ltd.

宁波高新区菁华路 76 号厂区东首第一、二层

1-2F, Eastern Factory, No.76, Jinghua Road, High-Tech Zone, Ningbo, Zhejiang, China

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 2 页 共 108 页
Page 2 of 108

报告内容 Report Content

样品信息 Sample Information.....3

检测要求 Test Requested.....3

产品图片 Photo(s) of the Product(s)4

检测依据 Test Method.....5

检测结果 Test Result(s).....7

检测流程 Test Process23

测试部件图片 Photo(s) of the Tested Component(s)27

RoHS 指令豁免项目 Exempted Items of RoHS Directive83

验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 3 页 共 108 页
Page 3 of 108

以下测试之样品及样品信息由申请者提供并确认 The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

产品名称	光伏汇流箱
Product Name	Anschluss-Verteiler-Gehäuse(PV String Combiner Box)
产品型号	SHLX-PV4
Product Part No.	SHLX-PV4
样品接收日期	2022.08.15
Sample Received Date	Aug. 15, 2022
样品检测日期	2022.08.15-2022.09.19
Testing Period	Aug. 15, 2022 to Sep. 19, 2022

检测要求

参考欧盟 RoHS 指令 2011/65/EU 及其修订指令(EU) 2015/863, 对所提交样品中的铅(Pb)、镉(Cd)、汞(Hg)、六价铬(Cr(VI))、多溴联苯(PBBs)、多溴二苯醚(PBDEs)和邻苯二甲酸酯【邻苯二甲酸二正丁酯(DBP)、邻苯二甲酸丁基苯酯(BBP)、邻苯二甲酸二(2-乙基己基)酯(DEHP)和邻苯二甲酸二异丁酯(DIBP)】进行验证测试。

Test Requested

With reference to RoHS Directive 2011/65/EU with amendment (EU) 2015/863, to conduct verification test for Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs) and Phthalates (Dibutyl phthalate(DBP), Benzylbutyl phthalate(BBP), Di-2-ethylhexyl phthalate(DEHP), Diisobutyl phthalate(DIBP)) in the submitted samples.

验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 4 页 共 108 页
Page 4 of 108

产品图片 Photo(s) of the Product(s)

光伏汇流箱 Anschluss-Verteiler-Gehäuse(PV String Combiner Box)



验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 5 页 共 108 页
Page 5 of 108

检测依据 Test Method

A. IEC 62321-3-1:2013 对管控元素的筛选限值 Screening limits for regulated elements according to IEC 62321-3-1:2013 (单位 Unit: mg/kg)

测试元素 Element(s)	聚合物 Polymers	金属 Metals	合成材料 Composite material
Pb	$BL \leq (700-3\sigma) < X$ $< (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X$ $< (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X$ $< (1500+3\sigma) \leq OL$
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma)$ $\leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma)$ $\leq OL$	$LOD < X < (150+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < X$ $< (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X$ $< (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X$ $< (1500+3\sigma) \leq OL$
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$
Br	$BL \leq (300-3\sigma) < X$	N/A	$BL \leq (250-3\sigma) < X$

B. 邻苯二甲酸酯的筛选限值 Screening limits for Phthalates

测试项目 Test Item(s)	筛选限值 Screening limits(单位 Unit: mg/kg)
邻苯二甲酸二正丁酯 Dibutyl phthalate(DBP)	$BL \leq 600 < X$
邻苯二甲酸丁基苄酯 Benzylbutyl phthalate(BBP)	$BL \leq 600 < X$
邻苯二甲酸二(2-乙基己基)酯 Di-2-ethylhexyl phthalate(DEHP)	$BL \leq 600 < X$
邻苯二甲酸二异丁酯 Diisobutyl phthalate(DIBP)	$BL \leq 600 < X$

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 6 页 共 108 页
Page 6 of 108

C. 化学测试 Chemical Test

测试项目 Tested Item(s)	测试方法 Test Method	测试仪器 Measured Equipment(s)	方法检出限 MDL	限值 Limit
铅 Lead (Pb)	IEC 62321-5:2013	ICP-OES	10 mg/kg	1000 mg/kg
	参考 IEC 62321-5:2013 Refer to IEC 62321-5:2013		10 mg/kg	
镉 Cadmium (Cd)	IEC 62321-5:2013	ICP-OES	10 mg/kg	100 mg/kg
	参考 IEC 62321-5:2013 Refer to IEC 62321-5:2013		10 mg/kg	
汞 Mercury (Hg)	IEC 62321-4:2013+AMD1:2017 CSV	ICP-OES	10 mg/kg	1000 mg/kg
	参考 IEC 62321-4:2013+AMD1:2017 CSV Refer to IEC 62321-4:2013+AMD1:2017 CSV		10 mg/kg	
六价铬 Hexavalent Chromium (Cr(VI))	IEC 62321-7-2:2017	UV-Vis	20 mg/kg	1000 mg/kg
	IEC 62321-7-1:2015		0.10 µg/cm ² (LOQ)	
多溴联苯 Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015	GC-MS	100mg/kg	1000 mg/kg
多溴二苯醚 Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015	GC-MS	100mg/kg	1000 mg/kg
邻苯二甲酸酯 Phthalates (DBP, BBP, DEHP, DIBP)	IEC 62321-8:2017	GC-MS	50 mg/kg	单项 1000 mg/kg 1000 mg/kg for each

备注 Remark:

- BL = 低于筛选限值 Under the screening limit
- OL = 高于筛选限值 Above the screening limit
- X = 需要做进一步测试的范围 The range of needing to do further testing
- 3σ = 表明分析仪器的重现性 The reproducibility of analytical instruments
- N/A = 不适合 Not applicable
- LOD = 方法检出限 Detection limit
- LOQ = 定量限, 六价铬的定量限为 0.10 µg/cm² Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 µg/cm²

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 7 页 共 108 页
Page 7 of 108

检测结果 Test Result(s)

样品 序号 Sample No.	同材质 序号 Same material No.	样品描述 Sample Description	测试项目 Tested Items	XRF 扫描 结果 XRF Screening Test	邻苯二甲 酸酯筛选 结果 Phthalates Screening Test	化学测试 结果 Chemical Test (mg/kg)	结论 Conclusion	样品提交/再 次提交日期 Sample Received/ Resubmitted Date
9.1	9.3,9.7,9.8, 9.9,9.165, 9.167,9.171, 9.172,9.173	灰色塑料 Grey plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.2	9.166	深灰色塑料 Dark grey plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.4	9.5,9.6,9.168, 9.169,9.170	绿色塑料 Green plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.10A	9.14,9.174, 9.178	黑色橡胶 Black rubber	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022 2022.09.06 Sep. 6, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	/	N.D.		
			BBP	N/A	/	N.D.		
			DEHP	N/A	/	N.D.		
			DIBP	N/A	/	N.D.		

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 8 页 共 108 页
Page 8 of 108

样品序号 Sample No.	同材质序号 Same material No.	样品描述 Sample Description	测试项目 Tested Items	XRF 扫描结果 XRF Screening Test	邻苯二甲酸酯筛选结果 Phthalates Screening Test	化学测试结果 Chemical Test (mg/kg)	结论 Conclusion	样品提交/再次提交日期 Sample Received/Resubmitted Date
9.11	9.12,9.13, 9.175,9.176, 9.177	灰色塑料 Grey plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
	9.179	灰色塑料 Grey plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	IN	/	N.D.		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.16	9.17,9.180, 9.181	有淡蓝色镀层的金属 Metal with light blue plating	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
9.20	9.184	绿色塑料 Green plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
			Pb	BL	/	/		
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
			Pb	BL	/	/		
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 9 页 共 108 页
Page 9 of 108

样品序号 Sample No.	同材质序号 Same material No.	样品描述 Sample Description	测试项目 Tested Items	XRF 扫描结果 XRF Screening Test	邻苯二甲酸酯筛选结果 Phthalates Screening Test	化学测试结果 Chemical Test (mg/kg)	结论 Conclusion	样品提交/再次提交日期 Sample Received/Resubmitted Date
9.21	9.185	黄色塑料 Yellow plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
			DIBP	N/A	BL	/		
9.22	9.23,9.24,9.25, 9.26,9.27,9.28, 9.29,9.30, 9.186,9.187, 9.188,9.189, 9.190,9.191, 9.192,9.193, 9.194	有银色镀层的金属 Metal with silvery plating	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
			DIBP	N/A	/	/		
9.31	9.195	有淡蓝色镀层的金属 Metal with light blue plating	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	IN	/	N.D.▼		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
			DIBP	N/A	/	/		
9.32	9.196	灰色橡胶 Grey rubber	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	/	N.D.		
			BBP	N/A	/	N.D.		
			DEHP	N/A	/	N.D.		
			DIBP	N/A	/	N.D.		

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 10 页 共 108 页
Page 10 of 108

样品序号 Sample No.	同材质序号 Same material No.	样品描述 Sample Description	测试项目 Tested Items	XRF 扫描结果 XRF Screening Test	邻苯二甲酸酯筛选结果 Phthalates Screening Test	化学测试结果 Chemical Test (mg/kg)	结论 Conclusion	样品提交/再次提交日期 Sample Received/Resubmitted Date
9.33	9.35,9.197, 9.199	红色塑料 Red plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	IN	/	N.D.		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.34	9.36,9.38,9.40, 9.42,9.198, 9.200,9.202, 9.204,9.206	有银色镀层的金属 Metal with silvery plating	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
9.37	9.39,9.201, 9.203	蓝色塑料 Blue plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	IN	/	N.D.		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.41	9.205	绿色塑料 Green plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	IN	/	N.D.		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 11 页 共 108 页
Page 11 of 108

样品序号 Sample No.	同材质序号 Same material No.	样品描述 Sample Description	测试项目 Tested Items	XRF 扫描结果 XRF Screening Test	邻苯二甲酸酯筛选结果 Phthalates Screening Test	化学测试结果 Chemical Test (mg/kg)	结论 Conclusion	样品提交/再次提交日期 Sample Received/Resubmitted Date
9.43A	9.207	有黑色印字的红色线皮 Red wire jacket with black printing	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022 2022.09.06 Sep. 6, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	/	N.D.		
			BBP	N/A	/	N.D.		
			DEHP	N/A	/	N.D.		
9.44A	9.208	有黑色印字的黄色线皮 Yellow wire jacket with black printing	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022 2022.09.06 Sep. 6, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	/	N.D.		
			BBP	N/A	/	N.D.		
			DEHP	N/A	/	N.D.		
9.45A	9.209	有黑色印字的蓝色线皮 Blue wire jacket with black printing	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022 2022.09.06 Sep. 6, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	/	N.D.		
			BBP	N/A	/	N.D.		
			DEHP	N/A	/	N.D.		
9.46	9.21	铜色金属丝 Cupreous metal wire	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
			Pb	BL	/	/		
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 12 页 共 108 页
Page 12 of 108

样品 序号 Sample No.	同材质 序号 Same material No.	样品描述 Sample Description	测试项目 Tested Items	XRF 扫描 结果 XRF Screening Test	邻苯二甲 酸酯筛选 结果 Phthalates Screening Test	化学测试 结果 Chemical Test (mg/kg)	结论 Conclusion	样品提交/再 次提交日期 Sample Received/ Resubmitted Date
9.48	9.212	有白色印字的深灰色塑料 Dark grey plastic with white printing	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	IN	/	N.D.		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
		有银色镀层的金属 Metal with silvery plating	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
9.58	9.222	红色塑料 Red plastic	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.59	9.223	无色透明 LEDColorless transparent LED	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	IN	/	N.D.		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
			Pb	BL	/	/	符合 PASS	
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	IN	/	N.D.		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 13 页 共 108 页
Page 13 of 108

样品序号 Sample No.	同材质序号 Same material No.	样品描述 Sample Description	测试项目 Tested Items	XRF 扫描结果 XRF Screening Test	邻苯二甲酸酯筛选结果 Phthalates Screening Test	化学测试结果 Chemical Test (mg/kg)	结论 Conclusion	样品提交/再次提交日期 Sample Received/Resubmitted Date
9.60A	9.224	银色金属引脚 Silvery metal pin	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022 2022.09.06 Sep. 6, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
	9.225	蓝色色环电阻 Blue color ring resistance	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.62	9.226	银色金属 Silvery metal	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
9.63A	9.227	银色金属 Silvery metal	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022 2022.09.06 Sep. 6, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
			Pb	BL	/	/		
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
			Pb	BL	/	/		
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 14 页 共 108 页
Page 14 of 108

样品 序号 Sample No.	同材质 序号 Same material No.	样品描述 Sample Description	测试项目 Tested Items	XRF 扫描 结果 XRF Screening Test	邻苯二甲 酸酯筛选 结果 Phthalates Screening Test	化学测试 结果 Chemical Test (mg/kg)	结论 Conclusion	样品提交/再 次提交日期 Sample Received/ Resubmitted Date
9.66	9.67,9.230, 9.231	有银色镀层的金属 Metal with silvery plating	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
9.68	9.232	银色固体 Silvery solid	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.69	9.233	有绿色印字的白色陶瓷 White ceramics with green printing	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.70	9.234	无色半透明 固体 Colorless translucent solid	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.70	9.234	无色半透明 固体 Colorless translucent solid	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
9.70	9.234	无色半透明 固体 Colorless translucent solid	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 15 页 共 108 页
Page 15 of 108

样品 序号 Sample No.	同材质 序号 Same material No.	样品描述 Sample Description	测试项目 Tested Items	XRF 扫描 结果 XRF Screening Test	邻苯二甲 酸酯筛选 结果 Phthalates Screening Test	化学测试 结果 Chemical Test (mg/kg)	结论 Conclusion	样品提交/再 次提交日期 Sample Received/ Resubmitted Date
9.71	9.235	有银色镀层的金属 Metal with silvery plating	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	IN	/	N.D.▼		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
			DIBP	N/A	/	/		
9.72	9.236	灰色粉末 Grey powder	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
			DIBP	N/A	BL	/		
9.163	9.327	有彩色印字的白色纸 White paper with multicolor printing	Pb	BL	/	/	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	BL	/	/		
			DBP	N/A	BL	/		
			BBP	N/A	BL	/		
			DEHP	N/A	BL	/		
			DIBP	N/A	BL	/		
9.164	9.328	黄铜色金属 Brassy metal	Pb	OL	/	27780 ^{#1}	符合 PASS	2022.08.15 Aug. 15, 2022
			Cd	BL	/	/		
			Hg	BL	/	/		
			Cr(Cr(VI))	BL	/	/		
			Br(PBBs&PBDEs)	N/A	/	/		
			DBP	N/A	/	/		
			BBP	N/A	/	/		
			DEHP	N/A	/	/		
			DIBP	N/A	/	/		

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 16 页 共 108 页
Page 16 of 108

备注 Remark:

- N.D. = 未检出 (小于方法检出限或定量限) Not Detected (<MDL or LOQ)
- MDL = Method Detection Limit
- mg/kg = ppm = 百万分之一 parts per million
- 1000 mg/kg = 0.1%
- / = 未检测 Not tested
- IN = 不确定, 需要进一步化学测试确认 Uncertain, Further chemical test
- N/A = 不适合 Not applicable
- BL = 低于筛选限值 Under the screening limit
- OL = 高于筛选限值, 需进一步化学测试确认 Further chemical test will be conducted while the result is above the screening limit
- ▼六价铬浓度小于 0.10 $\mu\text{g}/\text{cm}^2$, 样品未检出六价铬。The sample is negative for Cr(VI) – The Cr(VI) concentration is below 0.10 $\mu\text{g}/\text{cm}^2$. The coating is considered a non-Cr(VI) based coating.
- 对于多溴联苯 (PBBs) 和多溴二苯醚 (PBDEs), XRF 筛选时其结果显示的是总溴含量; 对于六价铬, XRF 筛选时其结果显示的是总铬含量。When conducting the test for PBBs&PBDEs, XRF was introduced to screen Br Exclusively; When conducting the test for Hexavalent Chromium, XRF was introduced to screen Chromium exclusively.
- #1 根据客户声明, 样品涉及欧盟 RoHS 指令 2011/65/EU 豁免项第 8(b)-I 条: 电气触点中的镉及镉化合物用于:
 - 断路器
 - 热感应控制
 - 热马达保护器(不包括密封式热马达保护器);
 - 交流开关额定在:
 - 6A 及以上在 250V 交流电及以上;或
 - 12A 及以上在 125V 交流电及以上;
 - 直流开关额定在 20A 及以上在 18V 及以上; 以及
 - 电压电源频率 ≥ 200 Hz 使用的开关According to the client's statement, the material of the sample(s) fall into exemption items 8(b)-I according to EU Directive 2011/65/EU: Cadmium and its compounds in electrical contacts used in:
 - circuit breakers,
 - thermal sensing controls,
 - thermal motor protectors (excluding hermetic thermal motor protectors),
 - AC switches rated at:
 - 6 A and more at 250 V AC and more, or
 - 12 A and more at 125 V AC and more,
 - DC switches rated at 20 A and more at 18 V DC and more, and
 - switches for use at voltage supply frequency ≥ 200 Hz
- 样品序号中带“A”的样品, 为原提交样品的整改样。The sample with A in 'Sample No.' is the improved one instead of the original submitted sample.
- 根据客户声明, “同材质序号”列样品与“样品序号”列样品为同材质。According to the client's statement, the samples in the column “Same material No.” are the same as the “Sample No.”.

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 17 页 共 108 页
Page 17 of 108

- 下表格涉及到引用的样品本次未测试。根据客户声明，“引用报告编号-样品序号”列与“样品序号”列对应的样品为同材质。The samples with the reference information in the table below are non-tested in this report. According to the client’s statement, the material of the samples in the column "Reference Report No. -Sample No. " in the table above are the same as the "Sample No.".

样品序号 Sample No.	引用报告编号-样品序号 Reference Report No. -Sample No.
9.18	A2220354956101E-1.14
9.19	A2220354956103E-3.66
9.47	A2220354956102E-2.1
9.49	A2220354956101E-1.2
9.50	A2220354956101E-1.2
9.51	A2220354956102E-2.3
9.52	A2220354956101E-1.14
9.53	A2220354956101E-1.14
9.54	A2220354956101E-1.14
9.56	A2220354956105E-5.21
9.57	A2220354956105E-7.14
9.64	A2220354956105E-5.23
9.65	A2220354956105E-7.24
9.73	A2220354956104E-4.1
9.74	A2220354956102E-2.41
9.75	A2220354956102E-2.1
9.76	A2220354956101E-1.2
9.77	A2220354956102E-2.3
9.78	A2220354956102E-2.4
9.79	A2220354956102E-2.5
9.80	A2220354956102E-2.6
9.81	A2220354956102E-2.7
9.82	A2220354956102E-2.7
9.83	A2220354956101E-1.45
9.84	A2220354956102E-2.10
9.85	A2220354956102E-2.11
9.86	A2220354956102E-2.12
9.87	A2220354956101E-1.14
9.88	A2220354956101E-1.14
9.89	A2220354956102E-2.15
9.90	A2220354956102E-2.16

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 18 页 共 108 页
Page 18 of 108

样品序号 Sample No.	引用报告编号-样品序号 Reference Report No. -Sample No.
9.91	A2220354956102E-2.17
9.92	A2220354956102E-2.17
9.93	A2220354956101E-1.38
9.94	A2220354956102E-2.20
9.95	A2220354956102E-2.21
9.96	A2220354956102E-2.22
9.97	A2220354956102E-2.23
9.98	A2220354956102E-2.23
9.99	A2220354956102E-2.23
9.100	A2220354956102E-2.23
9.101	A2220354956101E-1.31
9.102	A2220354956101E-1.31
9.103	A2220354956101E-1.31
9.104	A2220354956101E-1.31
9.105	A2220354956102E-2.31
9.106	A2220354956102E-2.31
9.107	A2220354956101E-1.25
9.108	A2220354956102E-2.34
9.109	A2220354956102E-2.21
9.110	A2220354956102E-2.36
9.111	A2220354956101E-1.25
9.112	A2220354956101E-1.25
9.113	A2220354956102E-2.21
9.114	A2220354956102E-2.40
9.115	A2220354956102E-2.41
9.116	A2220354956102E-2.42
9.117	A2220354956102E-2.43
9.118	A2220354956102E-2.44
9.119	A2220354956102E-2.44
9.120	A2220354956102E-2.46
9.121	A2220354956102E-2.47
9.122	A2220354956102E-2.4
9.123	A2220354956105E-7.14
9.124	A2220354956105E-7.1
9.125	A2220354956105E-7.1
9.126	A2220354956105E-7.1

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 19 页 共 108 页
Page 19 of 108

样品序号 Sample No.	引用报告编号-样品序号 Reference Report No. -Sample No.
9.127	A2220354956105E-7.1
9.128	A2220354956105E-7.5
9.129	A2220354956105E-7.5
9.130	A2220354956105E-7.5
9.131	A2220354956105E-7.5
9.132	A2220354956105E-7.9
9.133	A2220354956105E-5.4
9.134	A2220354956105E-5.11
9.135	A2220354956105E-5.14
9.136	A2220354956105E-5.15
9.137	A2220354956105E-7.14
9.138	A2220354956105E-5.14
9.139	A2220354956105E-5.21
9.140	A2220354956105E-5.19
9.141	A2220354956105E-5.19
9.142	A2220354956105E-5.18
9.143	A2220354956105E-5.30
9.144	A2220354956105E-5.31
9.145	A2220354956105E-5.23
9.146	A2220354956105E-5.23
9.147	A2220354956105E-7.24
9.148	A2220354956105E-5.37
9.149	A2220354956105E-5.36
9.150	A2220354956105E-5.38
9.151	A2220354956105E-5.39
9.152	A2220354956105E-5.40
9.153	A2220354956105E-5.41
9.154	A2220354956105E-5.42
9.155	A2220354956105E-5.22
9.156	A2220354956105E-5.23
9.157	A2220354956105E-5.22
9.158	A2220354956105E-5.22
9.159	A2220354956105E-5.27
9.160	A2220354956105E-5.28
9.161	A2220354956105E-7.5
9.162	A2220354956105E-7.5

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 20 页 共 108 页
Page 20 of 108

样品序号 Sample No.	引用报告编号-样品序号 Reference Report No. -Sample No.
9.182	A2220354956101E-1.14
9.183	A2220354956103E-3.66
9.211	A2220354956102E-2.1
9.213	A2220354956101E-1.2
9.214	A2220354956101E-1.2
9.215	A2220354956102E-2.3
9.216	A2220354956101E-1.14
9.217	A2220354956101E-1.14
9.218	A2220354956101E-1.14
9.220	A2220354956105E-5.21
9.221	A2220354956105E-7.14
9.228	A2220354956105E-5.23
9.229	A2220354956105E-7.24
9.237	A2220354956104E-4.1
9.238	A2220354956105E-5.15
9.239	A2220354956102E-2.1
9.240	A2220354956101E-1.2
9.241	A2220354956102E-2.3
9.242	A2220354956102E-2.4
9.243	A2220354956102E-2.5
9.244	A2220354956102E-2.6
9.245	A2220354956102E-2.7
9.246	A2220354956102E-2.7
9.247	A2220354956101E-1.45
9.248	A2220354956102E-2.10
9.249	A2220354956102E-2.11
9.250	A2220354956102E-2.12
9.251	A2220354956101E-1.14
9.252	A2220354956101E-1.14
9.253	A2220354956102E-2.15
9.254	A2220354956102E-2.16
9.255	A2220354956102E-2.17
9.256	A2220354956102E-2.17
9.257	A2220354956101E-1.38
9.258	A2220354956102E-2.20
9.259	A2220354956102E-2.21

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 21 页 共 108 页
Page 21 of 108

样品序号 Sample No.	引用报告编号-样品序号 Reference Report No. -Sample No.
9.260	A2220354956102E-2.22
9.261	A2220354956102E-2.23
9.262	A2220354956102E-2.23
9.263	A2220354956102E-2.23
9.264	A2220354956102E-2.23
9.265	A2220354956101E-1.31
9.266	A2220354956101E-1.31
9.267	A2220354956101E-1.31
9.268	A2220354956101E-1.31
9.269	A2220354956102E-2.31
9.270	A2220354956102E-2.31
9.271	A2220354956101E-1.25
9.272	A2220354956102E-2.34
9.273	A2220354956102E-2.21
9.274	A2220354956102E-2.36
9.275	A2220354956101E-1.25
9.276	A2220354956101E-1.25
9.277	A2220354956102E-2.21
9.278	A2220354956102E-2.40
9.279	A2220354956102E-2.41
9.280	A2220354956102E-2.42
9.281	A2220354956102E-2.43
9.282	A2220354956102E-2.44
9.283	A2220354956102E-2.44
9.284	A2220354956102E-2.46
9.285	A2220354956102E-2.47
9.286	A2220354956102E-2.4
9.287	A2220354956105E-7.14
9.288	A2220354956105E-7.1
9.289	A2220354956105E-7.1
9.290	A2220354956105E-7.1
9.291	A2220354956105E-7.1
9.292	A2220354956105E-7.5
9.293	A2220354956105E-7.5
9.294	A2220354956105E-7.5
9.295	A2220354956105E-7.5

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 22 页 共 108 页
Page 22 of 108

样品序号 Sample No.	引用报告编号-样品序号 Reference Report No. -Sample No.
9.296	A2220354956105E-7.9
9.297	A2220354956105E-5.4
9.298	A2220354956105E-5.11
9.299	A2220354956105E-5.14
9.300	A2220354956105E-5.15
9.301	A2220354956105E-7.14
9.302	A2220354956105E-5.14
9.303	A2220354956105E-5.21
9.304	A2220354956105E-5.19
9.305	A2220354956105E-5.19
9.306	A2220354956105E-5.18
9.307	A2220354956105E-5.30
9.308	A2220354956105E-5.31
9.309	A2220354956105E-5.23
9.310	A2220354956105E-5.23
9.311	A2220354956105E-7.24
9.312	A2220354956105E-5.37
9.313	A2220354956105E-5.36
9.314	A2220354956105E-5.38
9.315	A2220354956105E-5.39
9.316	A2220354956105E-5.40
9.317	A2220354956105E-5.41
9.318	A2220354956105E-5.42
9.319	A2220354956105E-5.22
9.320	A2220354956105E-5.23
9.321	A2220354956105E-5.22
9.322	A2220354956105E-5.22
9.323	A2220354956105E-5.27
9.324	A2220354956105E-5.28
9.325	A2220354956105E-7.5
9.326	A2220354956105E-7.5

验证报告

Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 23 页 共 108 页
Page 23 of 108


检测流程 Test Process

1. 铅 Lead (Pb), 镉 Cadmium (Cd)

1) IEC 62321-5:2013



2) 参考 Refer to IEC 62321-5:2013



验证报告


Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E


第 24 页 共 108 页
Page 24 of 108

2. 汞 Mercury(Hg)

1) IEC 62321-4:2013+AMD1:2017 CSV



2) 参考 Refer to IEC 62321-4:2013+AMD1:2017 CSV



验证报告


Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E


第 25 页 共 108 页
Page 25 of 108

3. 六价铬(Cr(VI)) Hexavalent Chromium (Cr(VI))


1) IEC 62321-7-2:2017



2) IEC 62321-7-1:2015



4. 多溴联苯 Polybrominated Biphenyls (PBBs), 多溴二苯醚 Polybrominated Diphenyl Ethers (PBDEs)




验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 26 页 共 108 页
Page 26 of 108

5. 邻苯二甲酸酯 Phthalates(DBP, BBP, DEHP, DIBP)



验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E


第 27 页 共 108 页
Page 27 of 108

测试部件图片 Photo(s) of the Tested Component(s)

9.1



9.2



9.3 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.4




验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 28 页 共 108 页
Page 28 of 108


9.5 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.6 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.7 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.8 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.9 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.10A



验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 29 页 共 108 页
Page 29 of 108

9.11



9.12 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.13 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.14 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.15



9.16



验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 30 页 共 108 页
Page 30 of 108

9.17 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.18 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.19 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.20



9.21



9.22



验证报告

Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 31 页 共 108 页
Page 31 of 108


9.23 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.25 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.27 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.24 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.26 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.28 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 32 页 共 108 页
Page 32 of 108

9.29 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.31

9.30 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)





9.32



9.33



9.34




验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E


第 33 页 共 108 页
Page 33 of 108

9.35 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.37


9.36 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.38 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.39 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.40 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 34 页 共 108 页
Page 34 of 108

9.41



9.42 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.43A



9.44A



9.45A



9.46



验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 35 页 共 108 页
Page 35 of 108

9.47 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.48



9.49 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.50 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.51 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.52 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E


第 36 页 共 108 页
Page 36 of 108

9.53 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.55

9.54 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.56 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.57 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.58




验证报告

Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 37 页 共 108 页
Page 37 of 108

9.59



9.60A



9.61



9.62



9.63



9.63A




验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 38 页 共 108 页
Page 38 of 108

9.64 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.66



9.68



9.65 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.67 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.69




验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 39 页 共 108 页
Page 39 of 108


9.70



9.71



9.72



9.73 客户参考图片(非测试样品)


Client Reference Photo (Non-tested sample)

9.74 客户参考图片(非测试样品)

Client Reference Photo (Non-tested sample)

9.75 客户参考图片(非测试样品)

Client Reference Photo (Non-tested sample)



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 40 页 共 108 页
Page 40 of 108


9.76 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.77 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.78 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.79 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.80 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.81 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告
Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 41 页 共 108 页
Page 41 of 108

9.82 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.83 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.84 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.85 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.86 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.87 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 42 页 共 108 页
Page 42 of 108

9.88 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.89 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.90 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.91 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.92 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.93 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 43 页 共 108 页
Page 43 of 108


9.94 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.95 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.96 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.97 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.98 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.99 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 44 页 共 108 页
Page 44 of 108

9.100 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.101 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.102 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.103 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.104 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.105 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 45 页 共 108 页
Page 45 of 108

9.106 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.107 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.108 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.109 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.110 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.111 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 46 页 共 108 页
Page 46 of 108

9.112 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.113 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.114 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.115 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.116 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.117 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 47 页 共 108 页
Page 47 of 108


9.118 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.119 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.120 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.121 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.122 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.123 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 48 页 共 108 页
Page 48 of 108

9.124 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.125 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.126 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.127 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.128 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.129 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 49 页 共 108 页
Page 49 of 108

9.130 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.131 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.132 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.133 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.134 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.135 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 50 页 共 108 页
Page 50 of 108

9.136 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.137 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.138 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.139 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.140 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.141 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告

Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 51 页 共 108 页
Page 51 of 108


9.142 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.143 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.144 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.145 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.146 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.147 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 52 页 共 108 页
Page 52 of 108


9.148 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.149 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.150 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.151 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.152 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.153 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 53 页 共 108 页
Page 53 of 108


9.154 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.155 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.156 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.157 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.158 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.159 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 54 页 共 108 页
Page 54 of 108


9.160 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.161 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.162 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.163



9.164



9.165 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 55 页 共 108 页
Page 55 of 108

9.166 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.168 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.170 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.167 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.169 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.171 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 56 页 共 108 页
Page 56 of 108

9.172 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.173 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.174 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.175 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.176 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.177 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 57 页 共 108 页
Page 57 of 108

9.178 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.179 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.180 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.181 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.182 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.183 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告

Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 58 页 共 108 页
Page 58 of 108

9.184 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.185 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.186 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.187 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.188 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.189 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 59 页 共 108 页
Page 59 of 108

9.190 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.191 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.192 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.193 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.194 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.195 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 60 页 共 108 页
Page 60 of 108


9.196 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.197 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.198 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.199 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.200 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.201 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 61 页 共 108 页
Page 61 of 108


9.202 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.204 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.206 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.203 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.205 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.207A 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 62 页 共 108 页
Page 62 of 108

9.208A 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.209 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.210 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.211 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.212 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.213 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 63 页 共 108 页
Page 63 of 108

9.214 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.215 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.216 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.217 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.218 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.219 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 64 页 共 108 页
Page 64 of 108


9.220 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.221 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.222 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.223 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.224 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.225 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 65 页 共 108 页
Page 65 of 108


9.226 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.228 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.230 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.227 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.229 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.231 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 66 页 共 108 页
Page 66 of 108


9.232 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.233 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.234 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.235 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.236 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.237 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 67 页 共 108 页
Page 67 of 108

9.238 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.239 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.240 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.241 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.242 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.243 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 68 页 共 108 页
Page 68 of 108


9.244 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.245 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.246 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.247 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.248 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.249 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告

Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 69 页 共 108 页
Page 69 of 108

9.250 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.251 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.252 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.253 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.254 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.255 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 70 页 共 108 页
Page 70 of 108

9.256 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.257 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.258 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.259 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.260 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.261 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 71 页 共 108 页
Page 71 of 108

9.262 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.263 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.264 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.265 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.266 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.267 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 72 页 共 108 页
Page 72 of 108

9.268 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.269 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.270 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.271 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.272 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.273 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告

Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 73 页 共 108 页
Page 73 of 108

9.274 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.276 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.278 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.275 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.277 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.279 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 74 页 共 108 页
Page 74 of 108


9.280 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.281 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.282 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.283 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.284 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.285 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告
Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 75 页 共 108 页
Page 75 of 108


9.286 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.287 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.288 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.289 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.290 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.291 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 76 页 共 108 页
Page 76 of 108

9.292 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.294 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.296 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.293 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.295 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.297 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 77 页 共 108 页
Page 77 of 108

9.298 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.299 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.300 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.301 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.302 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.303 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 78 页 共 108 页
Page 78 of 108


9.304 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.306 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.308 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.305 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.307 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.309 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 79 页 共 108 页
Page 79 of 108


9.310 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.311 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.312 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.313 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.314 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.315 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report


报告编号 A2220354956106E
Report No. A2220354956106E

第 80 页 共 108 页
Page 80 of 108


9.316 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.317 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.318 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.319 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.320 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.321 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




验证报告 Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 81 页 共 108 页
Page 81 of 108


9.322 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.324 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)




9.326 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.323 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.325 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



9.327 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 82 页 共 108 页
Page 82 of 108

9.328 客户参考图片(非测试样品)
Client Reference Photo (Non-tested sample)



验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 83 页 共 108 页
Page 83 of 108

RoHS 指令豁免项目 Exempted Items of RoHS Directive

根据2011/65/EU及其修订指令，目前附件III豁免列表共计45项。

In accordance with Directive 2011/65/EU as amended, there are 45 exemption items in Annex III of 2011/65/EU altogether.

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
1	Mercury in single capped (compact) fluorescent lamps not exceeding (per burner) :单端（紧凑）荧光灯中的汞含量不得超过（每灯）：	
1(a)	For general lighting purposes < 30 W: 5 mg 一般照明用途，小于 30W: 5mg	Expires on 31 December 2011; 3,5 mg may be used per burner after 31 December 2011 until 31 December 2012; 2,5 mg shall be used per burner after 31 December 2012 2011 年 12 月 31 日到期；2011 年 12 月 31 日至 2012 年 12 月 31 日按照 3.5mg/灯；2012 年 12 月 31 日之后按照 2.5mg/灯
1(b)	For general lighting purposes ≥ 30 W and < 50 W: 5 mg 一般照明用途，30 W $\leq$ 功率<50W: 5mg	Expires on 31 December 2011; 3,5 mg may be used per burner after 31 December 2011 2011 年 12 月 31 日到期； 2011 年 12 月 31 日后按照 3.5mg/灯
1(c)	For general lighting purposes ≥ 50 W and < 150 W: 5 mg 一般照明用途，50 W $\leq$ 功率<150W: 5mg	
1(d)	For general lighting purposes ≥ 150 W: 15 mg 一般照明用途，功率 $\geq$ 150W: 15mg	
1(e)	For general lighting purposes with circular or square structural shape and tube diameter ≤ 17 mm 一般照明用途，圆形或者方形结构，且管直径 $\leq$ 17mm	No limitation of use until 31 December 2011; 7 mg may be used per burner after 31 December 2011 2011 年 12 月 31 日前没有使用限制； 2011 年 12 月 31 日后按照 7mg/灯。
1(f)	For special purposes: 5 mg 特殊用途: 5mg	
1(g)	For general lighting purposes < 30 W with a lifetime equal or above 20 000 h: 3,5 mg 一般照明用途，功率小于 30W、使用寿命大于 20000 小时: 3.5mg	Expires on 31 December 2017 2017 年 12 月 31 日到期

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 84 页 共 108 页
Page 84 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
2(a)	Mercury in double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp): 用于一般照明用途的双端线性荧光灯中汞的含量不超过（每灯）：	
2(a)(1)	Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e.g. T2): 5 mg 正常寿命的三基色粉和管直径<9mm（如 T2）：5mg	Expires on 31 December 2011; 4 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日到期； 2011 年 12 月 31 日后按照 4mg/灯
2(a)(2)	Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm and ≤ 17 mm (e.g. T5): 5 mg 正常寿命的三基色粉和 9mm≤管直径≤17mm（如 T5）：5mg	Expires on 31 December 2011; 3 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日到期； 2011 年 12 月 31 日后按照 3mg/灯
2(a)(3)	Tri-band phosphor with normal lifetime and a tube diameter > 17 mm and ≤ 28 mm (e.g. T8): 5 mg 正常寿命的三基色粉和 17mm<管直径≤28mm（如 T8）：5mg	Expires on 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日到期； 2011 年 12 月 31 日后按照 3.5mg/灯
2(a)(4)	Tri-band phosphor with normal lifetime and a tube diameter > 28 mm (e.g. T12): 5 mg 正常寿命的三基色粉和管直径>28mm（如 T12）：5mg	Expires on 31 December 2012; 3,5 mg may be used per lamp after 31 December 2012 2012 年 12 月 31 日到期； 2012 年 12 月 31 日后按照 3.5mg/灯
2(a)(5)	Tri-band phosphor with long lifetime (≥ 25 000 h): 8 mg 长寿命（≥25000 小时）的三基色粉：8mg	Expires on 31 December 2011; 5 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日到期； 2011 年 12 月 31 日后按照 5mg/灯
2(b)	Mercury in other fluorescent lamps not exceeding (per lamp): 其他荧光灯中汞含量不超过（每灯）：	
2(b)(1)	Linear halophosphate lamps with tube > 28 mm (e.g. T10 and T12): 10 mg 管直径>28mm 的线性卤磷酸盐灯（如 T10 和 T12):10mg	Expires on 13 April 2012 2012 年 4 月 13 日到期

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 85 页 共 108 页
Page 85 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
2(b)(2)	Non-linear halophosphate lamps (all diameters): 15 mg 非线性卤磷酸盐灯（所有直径）：15mg	Expires on 13 April 2016 2016 年 4 月 13 日到期
2(b)(3)	Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e.g. T9) 管直径>17mm 的非线性三基色粉灯(如 T9)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 15mg/灯
2(b)(4)	Lamps for other general lighting and special purposes (e.g. induction lamps) 其他一般照明和特殊用途的灯（如感应灯）。	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 15mg/灯
3	Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp): 特殊用途的冷阴极荧光灯和外部电极荧光灯中汞的含量不超过（每灯）：	
3(a)	Short length (≤ 500 mm)短尺寸 (≤ 500 mm)	No limitation of use until 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 3.5mg/灯
3(b)	Medium length (> 500 mm and $\leq 1\,500$ mm)中等尺寸 (>500mm 且 ≤ 1500 mm)	No limitation of use until 31 December 2011; 5 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 5mg/灯
3(c)	Long length (> 1 500 mm) 长尺寸（大于 1500mm）	No limitation of use until 31 December 2011; 13 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 13mg/灯

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 86 页 共 108 页
Page 86 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
4(a)	Mercury in other low pressure discharge lamps (per lamp) 其他低压放电灯中汞的含量（每灯）。	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 15mg/灯
4(b)	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index $R_a > 60$: 一般照明用途的高压钠（蒸汽）灯，改进显色 指数 $R_a > 60$ ，其中汞含量不超过：	
4(b)-I	$P \leq 155 \text{ W}$	No limitation of use until 31 December 2011; 30 mg may be used per burner after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 30mg/灯
4(b)-II	$155 \text{ W} < P \leq 405 \text{ W}$	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 40mg/灯
4(b)-III	$P > 405 \text{ W}$	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 40mg/灯
4(c)	Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner): 一般照明用途的其他高压钠（蒸汽）灯中的汞 含量不超过（每灯）：	
4(c)-I	$P \leq 155 \text{ W}$	No limitation of use until 31 December 2011; 25 mg may be used per burner after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 25mg/灯

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 87 页 共 108 页
Page 87 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
4(c)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011; 30 mg may be used per burner after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 30mg/灯
4(c)-III	P > 405 W	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011 2011 年 12 月 31 日前没有使用限制; 2011 年 12 月 31 日后按照 40mg/灯
4(d)	Mercury in High Pressure Mercury (vapour) lamps (HPMV) 高压汞（蒸汽）灯中汞的含量。	Expires on 13 April 2015 2015 年 4 月 13 日到期
4(e)	Mercury in metal halide lamps (MH) 金属卤化灯中汞的含量	
4(f)	Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex 未在此附录中特别提及的用于特殊用途的其他放电灯中汞的含量	
4(g)	Mercury in hand crafted luminous discharge tubes used for signs, decorative or architectural and specialist lighting and light-artwork, where the mercury content shall be limited as follows: (a) 20 mg per electrode pair + 0,3 mg per tube length in cm, but not more than 80 mg, for outdoor applications and indoor applications exposed to temperatures below 20 °C; (b) 15 mg per electrode pair + 0,24 mg per tube length in cm, but not more than 80 mg, for all other indoor applications. 用于标牌、装饰或建筑和专业照明和灯光艺术品中手工制作的发光放电管 (HLDTS) 中的汞, 其中汞含量应符合如下限值: (a) 用于户外和温度低于 20°C 的室内环境的, 20 mg 每电极对+0.3 mg 每 cm 灯管长度, 但总含量不能超过 80 mg; (b) 用于其他所有室内环境的, 15 mg 每电极对+0.24 mg 每 cm 灯管长度, 但总含量不能超过 80 mg。	Expires on 31 December 2018 2018 年 12 月 31 日到期

验证报告
Verification Report

报告编号 A2220354956106E 第 88 页 共 108 页
Report No. A2220354956106E Page 88 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
5(a)	Lead in glass of cathode ray tubes 阴极射线管的玻璃内的铅含量	
5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight 荧光管的玻璃内的铅含量不超过其重量的 0.2%	
6(a)	Lead as an alloying element in steel for machining purposes and in galvanised steel containing up to 0,35 % lead by weight 机械加工中用作合金的钢和镀锌钢中的铅含量不超过 0.35% (Wt)	Expires on: -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11. -第 8、9 类产品截止至 2021-07-21 -第 8 类中体外诊断医疗设备截止至 2023-07-21 -第 9 类中工业监控设备和第 11 类截止至 2024-07-21
6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight 机械加工中用作合金的钢，铅含量不超过 0.35% (Wt)，批热处理镀锌钢组件中的铅含量不超过 0.2% (Wt)	Expires on 21 July 2021 for categories 1-7 and 10. 第 1-7 类及第 10 类截止至 2021-07-21

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 89 页 共 108 页
Page 89 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
6(b)	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight 铝合金中的铅含量不超过 0.4% (Wt)	Expires on: -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, -21 July 2023 for category 8 in vitro diagnostic medical devices, -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11. -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021-07-21 -第 8 类中体外诊断医疗设备截止至 2023-07-21 -第 9 类中工业监控设备和第 11 类截止至 2024-07-21
6(b)-I	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling 回收的含铅废铝里面，铅作为合金元素含量不超过 0.4% (Wt)	Expires on 21 July 2021 for categories 1-7 and 10. 第 1-7 类及第 10 类截止至 2021-07-21
6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight 用于机械加工目的的铝，铅作为合金元素含量不超过 0.4% (Wt)	Expires on 18 May 2021 for categories 1-7 and 10. 第 1-7 类及第 10 类，截止至 2021-05-18

验证报告
Verification Report

报告编号
Report No.

A2220354956106E
A2220354956106E

第 90 页 共 108 页
Page 90 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
6(c)	Copper alloy containing up to 4 % lead by weight 铜合金中的铅含量不应该超过 4%（Wt）	Expires on: -21 July 2021 for categories 1-7 and 10, -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, -21 July 2023 for category 8 in vitro diagnostic medical devices, -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11. 1~7 类及 10 类，截止至 2021-07-21 -除体外诊断医疗器械和工业监控设备外的其他 8、9 类产品，截止至 2021-07-21 -第 8 类体外诊断医疗设备，截止至 2023-07-21 -第 9 类工业监控设备及第 11 类，截止至 2024-07-21
7(a)	Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead) 高温熔融焊料中的铅（即：铅基合金中铅含量 ≥85%（Wt））	Applies to categories 1-7 and 10 (except applications covered by point 24 of this Annex) and expires on 21 July 2021. For categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments expires on 21 July 2021. For category 8 in vitro diagnostic medical devices expires on 21 July 2023. For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024. 1~7 类及 10 类（除条款 24 涵盖的应用外），截止至 2021-07-21 --除体外诊断医疗设备和工业监控设备外的其他 8、9 类产品，截止至 2021-07-21 --第 8 类体外诊断医疗设备，截止至 2023-07-21 --第 9 类工业监控设备及第 11 类，截止至 2024-07-21

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 91 页 共 108 页
Page 91 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications 用于服务器，存储器和存储阵列系统焊料中的铅，用于交换，信号产生和传输，以及电信网络管理的网络基础设施设备中焊料中的铅	
7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound 电气电子元件的玻璃或陶瓷中的铅，电容器的介电陶瓷除外，如压电玻璃或陶瓷装置	Applies to categories 1-7 and 10 (except applications covered under point 34) and expires on 21 July 2021. For categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments expires on 21 July 2021. For category 8 in vitro diagnostic medical devices expires on 21 July 2023. For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024. 1~7 类及 10 类(除条款 34 涵盖的应用外)，截止至 2021-07-21 --除体外诊断医疗设备和工业监控设备外的其他 8、9 类产品，截止至 2021-07-21 --第 8 类体外诊断医疗设备，截止至 2023-07-21 --第 9 类工业监控设备及第 11 类，截止至 2024-07-21 (该条款生效日期为 2019 年 7 月 1 日)

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 92 页 共 108 页
Page 92 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher 额定电压 125V AC 或者 250V DC 或更高的电容器的介电陶瓷中的铅	Does not apply to applications covered by point 7(c)-I and 7(c)-IV of this Annex. Expires on: -21 July 2021 for categories 1-7 and 10; -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 不适用于本附件 7(c)-I 及 7(c)-IV 中的应用。 -第 1-7 类及第 10 类，截止至 2021 年 7 月 21 日。 -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021 年 7 月 21 日； -第 8 类体外诊断医疗设备，截止至 2023 年 7 月 21 日； -第 9 类工业监控设备和第 11 类，截止至 2024 年 7 月 21 日。
7(c)-III	Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC 额定电压小于 125V AC 或者 250V DC 的电容器的介电陶瓷中的铅	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013 2013 年 1 月 1 日到期，之后可用于在 2013 年 1 月 1 日前投放市场电子电气设备的备用部件

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 93 页 共 108 页
Page 93 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
7(c)-IV	Lead in PZT based dielectric ceramic materials for capacitors which are part of integrated circuits or discrete semiconductors 集成电路或分立式半导体的电容器部件中使用的 PZT 介电陶瓷材料中的铅	-21 July 2021 for categories 1-7 and 10; -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 -第 1-7 类及第 10 类，截止至 2021 年 7 月 21 日。 -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021 年 7 月 21 日； -第 8 类体外诊断医疗设备，截止至 2023 年 7 月 21 日； -第 9 类工业监控设备和第 11 类，截止至 2024 年 7 月 21 日。
8(a)	Cadmium and its compounds in one shot pellet type thermal cut-offs 热熔断体中的镉及镉化合物	Expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012 2012 年 1 月 1 日到期，之后可用于在 2012 年 1 月 1 日前投放市场电子电气设备的备用部件
8(b)	Cadmium and its compounds in electrical contacts 电气触点中的镉及镉化合物	Applies to categories 8, 9 and 11 and expires on: -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 适用于第 8、9 及 11 类，到期日： -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021 年 7 月 21 日； -第 8 类体外诊断医疗设备，截止至 2023 年 7 月 21 日； -第 9 类工业监控设备和第 11 类，截止至 2024 年 7 月 21 日。

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 94 页 共 108 页
Page 94 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
8(b)-I	Cadmium and its compounds in electrical contacts used in: -circuit breakers, -thermal sensing controls, -thermal motor protectors (excluding hermetic thermal motor protectors), -AC switches rated at: -6 A and more at 250 V AC and more, or -12 A and more at 125 V AC and more, -DC switches rated at 20 A and more at 18 V DC and more, and -switches for use at voltage supply frequency $\geq$ 200 Hz 电气触点中的镉及镉化合物用于: -断路器 -热感应控制 -热马达保护器(不包括密封式热马达保护器); -交流开关额定在: -6A 及以上在 250V 交流电及以上;或 -12A 及以上在 125V 交流电及以上; -直流开关额定在 20A 及以上在 18V 及以上; 以及 -电压电源频率$\geq$200 Hz 使用的开关	Applies to categories 1 to 7 and 10 and expires on 21 July 2021 第 1-7 类及第 10 类, 截止至 2021 年 7 月 21 日
9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution 在吸收式电冰箱中作为碳钢冷却系统的防腐剂的六价铬的重量比不超过 0.75%	Applies to categories 8, 9 and 11 and expires on: —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, —21 July 2023 for category 8 in vitro diagnostic medical devices, —21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11. 适用于类别 8、9 和 11; 并于以下日期到期: -2021 年 7 月 21 日, 除体外诊断医疗设备和工业监测和控制仪器外, 第 8 和第 9 类; -2023 年 7 月 21 日, 第 8 类体外诊断医疗设备; -2024 年 7 月 21 日, 工业监测和控制仪器第 9 类和第 11 类。

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 95 页 共 108 页
Page 95 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
9(a)-I	Up to 0,75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel cooling systems of absorption refrigerators (including minibars) designed to operate fully or partly with electrical heater, having an average utilised power input < 75 W at constant running conditions 冷却系统设计成完全或部分与电暖器一起工作, 在恒定的运行条件下, 平均功率输入<75W 的吸收式冰箱(包括小型冰箱), 用作碳钢冷却系统中的防腐剂的六价铬重量比不超过 0.75%	Applies to categories 1-7 and 10 and expires on 5 March 2021. 适用于第 1-7 和第 10 类, 有效期至 2021 年 3 月 5 日。
9(a)-II	Up to 0,75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel cooling systems of absorption refrigerators: —designed to operate fully or partly with electrical heater, having an average utilised power input $\geq$ 75 W at constant running conditions, —designed to fully operate with non-electrical heater. 在吸收式电冰箱中作为碳钢冷却系统的防腐剂的六价铬的重量比不超过 0.75%	Applies to categories 1-7 and 10 and expires on 21 July 2021. 适用于第 1-7 和第 10 类, 有效期至 2021 年 7 月 21 日
9(b)	Lead in bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications 采暖、通风、空调和制冷 (HVACR) 设备中的含制冷剂压缩机上的轴承壳和衬套中使用的铅	Applies to categories 8, 9 and 11; expires on: -21 July 2023 for category 8 in vitro diagnostic medical devices, -21 July 2024 for category 9 industrial monitoring and control instruments and for category 11, -21 July 2021 for other subcategories of categories 8 and 9. 适用于类别 8,9 和 11; 并于以下日期到期: -类别 8 的体外诊断医疗器械于 2023 年 7 月 21 日到期; -类别 9 的工业控制设备以及类别 11 于 2024 年 7 月 21 日到期; -类别 8 和 9 的其他子类别于 2021 年 7 月 21 日到期

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 96 页 共 108 页
Page 96 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
9(b)-(I)	Lead in bearing shells and bushes for refrigerant-containing hermetic scroll compressors with a stated electrical power input equal or below 9 kW for heating, ventilation, air conditioning and refrigeration (HVACR) applications 采暖、通风、空调和制冷（HVACR）设备中申明了电功率输入小于等于 9KW 的含制冷剂涡旋式压缩机上的轴承壳和衬套中使用的铅	Applies to category 1; expires on 21 July 2019. 适用于类别 1；于 2019 年 7 月 21 日到期
11(a)	Lead used in C-press compliant pin connector systems C-press 顺应针联接系统中使用的铅	May be used in spare parts for EEE placed on the market before 24 September 2010 可用于在 2010 年 9 月 24 日前投放市场的电子电气设备的备用部件
11(b)	Lead used in other than C-press compliant pin connector systems 除 C-press 以外顺应针联接系统中使用的铅	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013 2013 年 1 月 1 日到期，之后可用于 2013 年 1 月 1 日之前投放市场的电子电气设备的备用部件
12	Lead as a coating material for the thermal conduction module C-ring 用于热传导模块 C-环的被覆材料中的铅	May be used in spare parts for EEE placed on the market before 24 September 2010 可用于 2010 年 9 月 24 日前投放市场的电子电气设备的备用部件
13(a)	Lead in white glasses used for optical applications 光学应用的白色玻璃中的铅	Applies to all categories; expires on: -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments and for category 11; -21 July 2021 for all other categories and subcategories 适用于所有类别，并于以下日期到期： -类别 8 的体外诊断医疗器械于 2023 年 7 月 21 日到期； -类别 9 的工业监控设备以及类别 11 于 2024 年 7 月 21 日到期； -其他类别于 2021 年 7 月 21 日到期

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 97 页 共 108 页
Page 97 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
13(b)	Cadmium and lead in filter glasses and glasses used for reflectance standards 滤光玻璃及用于反射标准片玻璃中的铅和镉	Applies to categories 8, 9 and 11; expires on: -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments and for category 11; -21 July 2021 for other subcategories of categories 8 and 9 适用于类别 8,9 和 11; 并于以下日期到期: -类别 8 的体外诊断医疗器械于 2023 年 7 月 21 日到期; -类别 9 的工业控制设备以及类别 11 于 2024 年 7 月 21 日到期; -类别 8 和 9 的其他子类别于 2021 年 7 月 21 日到期
13(b)-I	Lead in ion coloured optical filter glass types 离子彩色光学滤光玻璃中的铅	Applies to categories 1 to 7 and 10; expires on 21 July 2021 for categories 1 to 7 and 10 适用于类别 1~7 和类别 10; 对于类别 1~7 和类别 10 将于 2021 年 7 月 21 日到期
13(b)-II	Cadmium in striking optical filter glass types; excluding applications falling under point 39 of this Annex 光学滤光玻璃中的镉; 不包括本附件第 39 条款中的设备	
13(b)-III	Cadmium and lead in glazes used for reflectance standards 反射标准片中釉料中的镉和铅	
14	Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 % and less than 85 % by weight 微处理器针脚及封装联接所使用的含两种以上组分的焊料中的铅(铅含量在 80%与 85%之间)	Expired on 1 January 2011 and after that date may be used in spare parts for EEE placed on the market before 1 January 2011 2011 年 1 月 1 日到期, 之后可用于 2011 年 1 月 1 日前投放市场的电子电气设备的备用部件

验证报告
Verification Report

报告编号
Report No.

A2220354956106E
A2220354956106E

第 98 页 共 108 页
Page 98 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
15	Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages 集成电路倒装芯片封装中半导体芯片及载体之间形成可靠联接所用焊料中的铅	Applies to categories 8, 9 and 11 and expires on: -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 适用于第 8、9 及 11 类，到期日： -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021 年 7 月 21 日 -第 8 类体外诊断医疗设备，截止至 2023 年 7 月 21 日； -第 9 类工业监控设备和第 11 类，截止至 2024 年 7 月 21 日。
15(a)	Lead in solders to complete a viable electrical connection between the semiconductor die and carrier within integrated circuit flip chip packages where at least one of the following criteria applies: -a semiconductor technology node of 90 nm or larger; -a single die of 300 mm ² or larger in any semiconductor technology node; -stacked die packages with die of 300 mm ² or larger, or silicon interposers of 300 mm ² or larger 集成电路倒装芯片封装中半导体芯片及载体之间形成可靠联接所用焊料中的铅，至少适用下列标准之一： -90 纳米或以上的半导体技术节点； -任何半导体技术节点中的 300mm ² 及以上的单个芯片； -堆叠芯片封装，芯片尺寸为 300mm ² 或以上，或硅转接板尺寸为 300mm ² 或以上	Applies to categories 1 to 7 and 10 and expires on 21 July 2021 第 1-7 类及第 10 类，截止至 2021 年 7 月 21 日

验证报告
Verification Report

报告编号
Report No.

A2220354956106E
A2220354956106E

第 99 页 共 108 页
Page 99 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
16	Lead in linear incandescent lamps with silicate coated tubes 带有硅酸盐灯管的线型白炽灯中的铅	Expires on 1 September 2013 2013 年 9 月 1 日到期
17	Lead halide as radiant agent in high intensity discharge (HID) lamps used for professional reprography applications 用于专业复印设备的高强度放电灯(HID)中用作激发的卤素铅	
18(a)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as speciality lamps for diazoprinting reprography, lithography, insect traps, photochemical and curing processes containing phosphors such as SMS ((Sr,Ba)2MgSi2O7:Pb) 当放电灯被用作重氮复印、平版印刷、捕虫器、光化学和固化工艺的特种灯，含有磷光粉时，比如 SMS ((Sr,Ba)2MgSi2O7:Pb)，放电灯中的荧光粉触媒剂的铅含量在其重量的 1%或以下	Expired on 1 January 2011 2011 年 1 月 1 日到期
18(b)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi2O5:Pb) 当放电灯被用作含磷光粉的仿日晒灯，比如含有 BSP (BaSi2O5 :Pb)，放电灯中的荧光粉触媒剂的铅含量在其重量的 1%或以下	-21 July 2021 for categories 1-7 and 10; -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 -第 1-7 类及第 10 类，截止至 2021 年 7 月 21 日。 -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021 年 7 月 21 日 -第 8 类体外诊断医疗设备，截止至 2023 年 7 月 21 日； -第 9 类工业监控设备和第 11 类，截止至 2024 年 7 月 21 日

验证报告
Verification Report

报告编号
Report No.

A2220354956106E
A2220354956106E

第 100 页 共 108 页
Page 100 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
18(b)-I	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps containing phosphors such as BSP (BaSi2O5:Pb) when used in medical phototherapy equipment 当放电灯被用作含磷光粉的医疗光疗设备，比如含有 BSP (BaSi2O5 :Pb)，放电灯中的荧光粉触媒剂的铅含量在其重量的 1%或以下。	Applies to categories 5 and 8, excluding applications covered by entry 34 of Annex IV, and expires on 21 July 2021 适用于第 5 类和第 8 类，不包括附件 IV 第 34 项条款中的应用，于 2021 年 7 月 21 日到期
19	Lead with PbBiSn-Hg and PbInSn-Hg in specific compositions as main amalgam and with PbSn-Hg as auxiliary amalgam in very compact energy saving lamps (ESL) 紧凑型节能灯(ESL)中作为主要汞合金的特定的 PbBiSn-Hg 和 PbInSn-Hg 中的铅，以及作为辅助汞合金的 PbSn-Hg 中的铅	Expires on 1 June 2011 2011 年 6 月 1 日到期
20	Lead oxide in glass used for bonding front and rear substrates of flat fluorescent lamps used for Liquid Crystal Displays (LCDs) 液晶显示器(LCD)用于连接平面荧光灯前后基片用的玻璃中的氧化铅	Expires on 1 June 2011 2011 年 6 月 1 日到期
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses 用在玻璃表面瓷釉，如硼硅酸盐玻璃和碱石灰玻璃上的印刷油墨中的铅和镉	Applies to categories 8, 9 and 11 and expires on: -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 适用于第 8、9 及 11 类，到期日： -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021 年 7 月 21 日 -第 8 类体外诊断医疗设备，截止至 2023 年 7 月 21 日； -第 9 类工业监控设备和第 11 类，截止至 2024 年 7 月 21 日

验证报告

Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 101 页 共 108 页
Page 101 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
21(a)	Cadmium when used in colour printed glass to provide filtering functions, used as a component in lighting applications installed in displays and control panels of EEE 在彩色印刷玻璃中使用镉来提供过滤功能，用作安装在显示器和电子电器产品控制面板上的照明应用组件	Applies to categories 1 to 7 and 10 except applications covered by entry 21(b) or entry 39 and expires on 21 July 2021 适用于第 1-7 类及第 10 类除第 21(b)项或第 39 项中的应用外，截止至 2021 年 7 月 21 日
21(b)	Cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses 用在玻璃表面瓷釉，如硼硅酸盐玻璃和碱石灰玻璃上的印刷油墨中的镉	Applies to categories 1 to 7 and 10 except applications covered by entry 21(a) or 39 and expires on 21 July 2021 适用于第 1-7 类及第 10 类除第 21(a)项或第 39 项中的应用外，截止至 2021 年 7 月 21 日
21(c)	Lead in printing inks for the application of enamels on other than borosilicate glasses 用于硼硅酸盐玻璃以外的瓷釉的印刷油墨中的铅	Applies to categories 1 to 7 and 10 and expires on 21 July 2021 第 1-7 类机及第 10 类，截止至 2021 年 7 月 21 日
23	Lead in finishes of fine pitch components other than connectors with a pitch of 0,65 mm and less 小螺距零部件表面处理中的铅（螺距不超过 0.65mm 的连接器的不在豁免之内）	May be used in spare parts for EEE placed on the market before 24 September 2010 可用于 2010 年 9 月 24 日前投放市场的电子电气设备的备用部件
24	Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors 通孔盘状及平面阵列陶瓷多层电容器焊料所含的铅	Expires on: -21 July 2021 for categories 1-7 and 10, -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, -21 July 2023 for category 8 in vitro diagnostic medical devices, -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 -1~7 类及 10 类，截止至 2021-07-21 -除体外诊断医疗设备和工业监控设备外的其他 8、9 类产品，截止至 2021-07-21 -第 8 类体外诊断医疗设备，截止至 2023-07-21 -第 9 类工业监控设备及第 11 类，截止至 2024-07-21

验证报告
Verification Report

报告编号 A2220354956106E 第 102 页 共 108 页
Report No. A2220354956106E Page 102 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring 表面传导式电子发射显示器（SED）构件中所用的氧化铅，特别是封装玻璃和环状玻璃中的氧化铅	
26	Lead oxide in the glass envelope of black light blue lamps 黑蓝灯（BLB）玻璃封装中的氧化铅	Expires on 1 June 2011 2011 年 6 月 1 日到期
27	Lead alloys as solder for transducers used in high-powered (designated to operate for several hours at acoustic power levels of 125 dB SPL and above) loudspeakers 用作大功率扬声器（用在长时间操作 125 分贝以上的音响系统）的换能器中焊料的铅合金	Expired on 24 September 2010 2010 年 9 月 24 日到期
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC 理事会第 69/493/EEC *号指令附件 I(第 1、2、3 和 4 类)所界定的水晶玻璃中的铅	-21 July 2021 for categories 1-7 and 10; -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 -第 1-7 类及第 10 类，截止至 2021 年 7 月 21 日。 -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021 年 7 月 21 日 -第 8 类体外诊断医疗设备，截止至 2023 年 7 月 21 日； -第 9 类工业监控设备和第 11 类，截止至 2024 年 7 月 21 日

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 103 页 共 108 页
Page 103 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more 电导体直接与音压大于或等于 100 分贝大功率扬声器的换能器上音圈进行电气或机械焊接时，所用焊料中的镉合金	
31	Lead in soldering materials in mercury free flat fluorescent lamps (which, e.g. are used for liquid crystal displays, design or industrial lighting) 无汞平板荧光灯内焊接材料中的铅（例如用于液晶显示器、设计或工业用照明	
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes 窗体装配中，用于氩和氪激光管的密封玻璃中的氧化铅	-21 July 2021 for categories 1-7 and 10, -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, -21 July 2023 for category 8 in vitro diagnostic medical devices, -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 -第 1-7 类及第 10 类，截止至 2021 年 7 月 21 日。 -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021 年 7 月 21 日 -第 8 类体外诊断医疗设备，截止至 2023 年 7 月 21 日； -第 9 类工业监控设备和第 11 类，截止至 2024 年 7 月 21 日
33	Lead in solders for the soldering of thin copper wires of 100 µm diameter and less in power transformers 用来焊接电源变压器中直径不大于 100 微米的细铜线的焊料中的铅	

验证报告
Verification Report

报告编号 A2220354956106E 第 104 页 共 108 页
Report No. A2220354956106E Page 104 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
34	Lead in cermet-based trimmer potentiometer elements 金属陶瓷质的微调电位器元件中的铅	Applies to all categories; expires on: -21 July 2021 for categories 1-7 and 10, -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, -21 July 2023 for category 8 in vitro diagnostic medical devices, -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11. -1~7 类及 10 类，截止至 2021-07-21 -除体外诊断医疗设备和工业监控设备外的其他 8、9 类产品，截止至 2021-07-21 -第 8 类体外诊断医疗设备，截止至 2023-07-21 -第 9 类工业监控设备及第 11 类，截止至 2024-07-21
36	Mercury used as a cathode sputtering inhibitor in DC plasma displays with a content up to 30 mg per display 直流等离子显示器中，作为阴极溅射抑制剂中的汞在每个显示器中的含量不得超过 30 mg	Expired on 1 July 2010 2010 年 7 月 1 日到期
37	Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body 以硼酸锌玻璃体为基材的高压二极管的电镀层的铅	-21 July 2021 for categories 1-7 and 10; -21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11 -第 1-7 类及第 10 类，截止至 2021 年 7 月 21 日 -除体外诊断医疗设备和工业监控设备外的第 8、9 类产品截止至 2021 年 7 月 21 日 -第 8 类体外诊断医疗设备，截止至 2023 年 7 月 21 日； -第 9 类工业监控设备和第 11 类，截止至 2024 年 7 月 21 日

验证报告
Verification Report

报告编号 A2220354956106E 第 105 页 共 108 页
Report No. A2220354956106E Page 105 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide 用在铝键合氧化铍上的厚膜浆料中的镉和氧化镉	
39(a)	Cadmium selenide in downshifting cadmium-based semiconductor nanocrystal quantum dots for use in display lighting applications (< 0,2 µg Cd per mm² of display screen area) 用于显示照明设备中降低镉基半导体纳米晶量子点的硒化镉（显示区域中每平方毫米的镉小于 0.2 微克）	-Expires for all categories on 31 October 2019 -所有产品截止 2019 年 10 月 31 日到期
40	Cadmium in photoresistors for analogue optocouplers applied in professional audio equipment 专业音频设备的模拟光耦合器中使用的光敏电阻中的镉	Expires on 31 December 2013 2013 年 12 月 31 日到期
41	Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council (2)) 由于技术原因必须直接安装在便携式内燃机（欧洲议会和欧盟理事会指令 97/68/EC 中分类为 SH:1、SH:2、SH:3）的曲轴箱或汽缸上的，点火模块和其他电子电气发动机控制系统中使用的电子电气元件的焊料及终端处理和 PCB 的表面处理中的铅	Applies to all categories and expires on: —31 March 2022 for categories 1 to 7, 10 and 11; —21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; —21 July 2023 for category 8 in vitro diagnostic medical devices; —21 July 2024 for category 9 industrial monitoring and control instruments. 适用于所有类别，并于以下日期到期： -2022 年 3 月 31 日，第 1 至 7、10 和 11 类； -2021 年 7 月 21 日，除体外诊断医疗设备和工业监测和控制仪器外，第 8 和第 9 类； -2023 年 7 月 21 日，第 8 类体外诊断医疗设备； -2024 年 7 月 21 日，第 9 类工业监测和控制仪器。

验证报告
Verification Report

报告编号
Report No.

A2220354956106E
A2220354956106E

第 106 页 共 108 页
Page 106 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
42	Lead in bearings and bushes of diesel or gaseous fuel powered internal combustion engines applied in non-road professional use equipment: -with engine total displacement ≥ 15 litres; or -with engine total displacement < 15 litres and the engine is designed to operate in applications where the time between signal to start and full load is required to be less than 10 seconds; or regular maintenance is typically performed in a harsh and dirty outdoor environment, such as mining, construction, and agriculture applications 适用于非道路专业使用设备的柴油或燃气内燃机轴承和衬套中的铅: -发动机总排量≥15 升;或 -发动机总排量< 15 升, 发动机适用于信号启动和满载之间的时间要求小于 10 秒的应用时;或者在恶劣和肮脏的户外环境中进行定期维护, 例如采矿、建筑和农业应用	Applies to category 11, excluding applications covered by entry 6(c) of this Annex. Expires on 21 July 2024 适用于第 11 类, 除本附件第 6(c)项中的应用, 截止至 2024 年 7 月 21 日

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 107 页 共 108 页
Page 107 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
43	Bis(2-ethylhexyl) phthalate in rubber components in engine systems, designed for use in equipment that is not intended solely for consumer use and provided that no plasticised material comes into contact with human mucous membranes or into prolonged contact with human skin and the concentration value of bis(2-ethylhexyl) phthalate does not exceed: (a)30 % by weight of the rubber for (i)gasket coatings; (ii)solid-rubber gaskets; or (iii)rubber components included in assemblies of at least three components using electrical, mechanical or hydraulic energy to do work, and attached to the engine. (b)10 % by weight of the rubber for rubber-containing components not referred to in point (a). For the purposes of this entry, “prolonged contact with human skin” means continuous contact of more than 10 minutes duration or intermittent contact over a period of 30 minutes, per day. 设计用于并非只供消费者使用的设备中的发动机系统的橡胶部件，非人体粘膜接触或人体皮肤长时间接触的塑料中的邻苯二甲酸二(2-乙基己基)酯，并且邻苯二甲酸二(2-乙基己基)酯的浓度值不超过： (a)橡胶重量的 30 %，用于 (I)垫圈涂层 (ii)固体橡胶垫圈；或者 (iii)连接到发动机上并至少三个部件组成的使用电能、机械能或液压能工作的橡胶部件。 (b)橡胶重量的 10%，针对(a)条中未提及的橡胶部件。 在本条目中，“长时间接触人体皮肤”是指每天持续接触超过 10 分钟或间歇接触超过 30 分钟。	Applies to category 11 and expires on 21 July 2024. —适用于第 11 类产品，截止至 2024 年 7 月 21 日。

验证报告
Verification Report

报告编号 A2220354956106E
Report No. A2220354956106E

第 108 页 共 108 页
Page 108 of 108

	Exemption 豁免	Scope and dates of applicability 范围和应用日期
44	Lead in solder of sensors, actuators, and engine control units of combustion engines within the scope of Regulation (EU) 2016/1628 of the European Parliament and of the Council (*1), installed in equipment used at fixed positions while in operation which is designed for professionals, but also used by non-professional users 在欧洲议会和欧盟理事会法规(EU) 2016/1628 范围内的内燃机传感器、执行器和发动机控制单元焊料中铅，安装在固定位置使用设备中，专为专业人员设计，但也适用于非专业人员。	Applies to category 11 and expires on 21 July 2024. 适用于第 11 类产品，截止至 2024 年 7 月 21 日。
45	Lead diazide, lead styphnate, lead dipicramate, orange lead (lead tetroxide), lead dioxide in electric and electronic initiators of explosives for civil (professional) use and barium chromate in long time pyrotechnic delay charges of electric initiators of explosives for civil (professional) use 民用（专业）炸药电子起爆器中的叠氮化铅、收敛酸铅、二苦氨酸铅、铅橙（四氧化三铅）、二氧化铅以及民用（专业）炸药电子起爆器的长时间爆破延时药剂中的铬酸钡	Applies to category 11 and expires on 20 April 2026. 适用于第 11 类产品，截止至 2026 年 4 月 20 日。

注释： 以上豁免项目，若中文译文与英文原文意思上不一致，以英文原文为准。

Note: The above exemptions item, if the Chinese translation is inconsistent with the English meaning of the original text, the English original shall prevail.

声明 Statement:

1. 检测报告无批准人签字、“专用章”及报告骑缝章无效;
This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. 报告抬头公司名称及地址、样品及样品信息由申请者提供，申请者应对其真实性负责，CTI 未核实其真实性;
The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. 本报告检测结果仅对受测样品负责;
The result(s) shown in this report refer(s) only to the sample(s) tested;
4. 未经 CTI 书面同意，不得部分复制本报告;
Without written approval of CTI, this report can't be reproduced except in full;
5. 如检测报告中的英文内容与中文内容有差异，以中文为准。
In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

*** 报告结束 ***
*** End of Report ***

Suntree Electric Group Co., Ltd.
Tony Liu
-
Xinguang Industrial Zone, Liushi
Town, Yueqing City,
Zhejiang Province 325604
P. R. China

Date : 14.01.2019
Our ref. : QJL 01
Your ref.: T.L.

Ref : R TÜV-Mark Approval

Type of Equipment : PV String Combiner Box
Model Designation : See Certificate
Certificate No. : R 50425773 0001
Report No. : 50210654 001

Dear Tony Liu,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body


Weichun Li

cc: Suntree Electric Group Co., Ltd.

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询